


Deep Core & Dry Diamond Drilling Connection Diagram



Dry Diamond Core Drills

Combination of superior design and high quality manufacture. Ideally suited to lightweight building materials, ordinary facing brickwork and blockwork up to 10n/mm². Range is designed to give rapid, clean service entries with virtually no making good required. Virtually no 'break out' damage. Power tools of over 900W with a slipping clutch are required. Rotary action only. Can be QFDS (SDS+) or Hex Driven. Full range of accessories available, see page 18.



PRODUCT GROUP: A2

Part Number	Diameter (mm)	Core Depth (mm)	Description	List Price (\$)	Barcode
CDD022LS	22	300	Dry Diamond Core Drill	134.86	5022081022592
CDD028LS	28	300	Dry Diamond Core Drill	134.86	5022081022608
CDD038	38	150	Dry Diamond Core Drill	125.07	5022081022622
CDD048	48	150	Dry Diamond Core Drill	134.86	5022081022639
CDD052	52	150	Dry Diamond Core Drill	150.81	5022081022646
CDD065	65	150	Dry Diamond Core Drill	170.06	5022081022653
CDD078	78	150	Dry Diamond Core Drill	195.80	5022081022660
CDD091	91	150	Dry Diamond Core Drill	235.40	5022081022677
CDD107	107	150	Dry Diamond Core Drill	253.66	5022081022684
CDD117	117	150	Dry Diamond Core Drill	266.53	5022081022691
CDD127	127	150	Dry Diamond Core Drill	285.67	5022081022707
CDD152	152	150	Dry Diamond Core Drill	317.79	5022081022714

Deep Core Light Weight Drills

Product length (150mm core depth) allows user to drill in one continuous action with no need to stop and break out the core. Can be used with hammer action while utilising the same accessories as used in Dry Diamond drilling.

Thinner, lightweight design of deep-core lightweight drills allows both hammer action and rotary only mode to be utilised. Faster drilling saves time and money. Product design and hammer action of QFDS (SDS+) machines contribute to rapid and progressive penetration in masonry materials. ½ inch BSP drive connections allow the use of dust extraction facilities.



PRODUCT GROUP: A2

Part Number	Diameter (mm)	Core Depth (mm)	Description	List Price (\$)	Barcode
CT034x150	34	150	Deep Core Light Weight	128.37	
CT040x150	40	150	Deep Core Light Weight	129.80	5022081022738
CT052x150	52	150	Deep Core Light Weight	155.43	5022081022745
CT065x150	65	150	Deep Core Light Weight	179.41	5022081022752
CT078x150	78	150	Deep Core Light Weight	207.35	5022081022769
CT103x150	103	150	Deep Core Light Weight	275.22	5022081022776
CT117x150	117	150	Deep Core Light Weight	303.05	5022081022783

Dry Diamond & Deep Core Drill Adaptors & Accessories

PRODUCT GROUP: A2

Part Number	Overall Length	Description	List Price (\$)	Barcode
D115B4BSP1/2	115	SDS Adaptor to ½ BSP	39.27	5022081910004
D250SDSBSP1/2	250	SDS Adaptor to ½ BSP	64.57	5022081910011
D070HEXBSP1/2	70	Hex Adaptor to ½ BSP	37.40	5022081910028
D175HEXEXT	175	Hex Extension Rod	57.64	5022081910035
D275HEXEXT	275	Hex Extension Rod	74.58	5022081910042
D2001/2UNFBSP	200	Barrel Extension ½ BSP to ½ UNF	59.29	5022081910059
D2001/2BSPEXT	200	½ BSP Extension Rod	60.50	5022081910110
DSDSAP		3 Piece QFDS (SDS+) Adaptor Pack: 1 x DDR Drift Pin, 1 x 9A10.0x225GR Guide Rod, 1 x D115B4BSP1/2 SDS Adaptor to ½ BSP	87.89	5022081910066
DHEXAP		3 Piece Hex Adaptor Pack: 1 x DDR Drift Pin, 1 x 9A10.0x225GR Guide Rod 1 x D070HEXBSP1/2 Hex Adaptor to ½ BSP	60.06	5022081910073
A10x225		A Taper Pilot Drill - 10mm x 225mm	23.32	5022081001184
A10x300		A Taper Pilot Drill - 10mm x 300mm	40.81	5022081001191
A10x400		A Taper Pilot Drill - 10mm x 400mm	36.08	5022081001207
9A10x225GR		A Taper 10mm x 225mm Guide Rod	19.47	5022081910103

